

PreventConnect

1215 K Street

Suite 1850

Sacramento, CA 95814

Toutube: www.facebook.com/PreventConnect

YouTube: www.youtube.com/calCASAVideo
Email Group (listserv): http://
groups.yahoo.com/group/Prevent-Connect/
Email: info@preventconnect.org

PreventConnect is a national project of the Californa Coalition Against Sexual Asseult appraisance by U.S. Canters for Disease Control and Prevention. The views and information provided in this web conference do not necessarily represent the official views of the U.S. government. CDO or CALCASA.



2014 Web Conferences

Joining our fellow travelers: Practical applications for expanding the impact of sexual & domestic violence prevention efforts

- March 25: Foundations in Prevention Register now
- March 26: Intimate Partner Violence in the United States 2010: Implications for Prevention FULL Wait List Open
- April 24: Growing Our Impact: Moving from individual awareness building to community norms change strategies
- May 21: Public Sector Partnerships: The role of local government in sexual and domestic violence prevention initiatives
- June 26: All Communities are Not Created Equal: Advancing health equity goals to enhance sexual and domestic violence prevention efforts
- September 17: Shifting our Goal from Individual Knowledge Change to a Community Mobilized for Norms Change



PreventConnect

- Domestic violence/Intimate partner violence
- Sexual violence
- Violence across the life-span
- Prevent before violence starts
- Connect to other forms of violence & oppression
- Connect to other prevention practitioners



INTIMATE PARTNER VIOLENCE IN THE UNITED STATES — 2010:


A WEB CONFERENCE FOR STATE, TERRITORIAL, TRIBAL AND NATIONAL KEY STAKEHOLDERS













Learning Objectives

- Describe the findings from the CDC's report Intimate Partner Violence in the United States 2010
- Identify three potential implications on economic data, service data and for historically marginalized populations.
- Describe next action step for using data from this report





Intimate Partner Violence in the United States—2010



The findings and conclusions in this presentation are those of the author(s) and do not necessarily represent the official position of the Centers for Disease Control and Prevention.





Overview

- Describe NISVS
- What's new in this report?
- Present Results
- Discuss Implications







National Intimate Partner and Sexual Violence Survey

- Funded and launched by CDC in 2010 with support from National Institute of Justice and the Department of Defense
- *Ongoing, nationally representative telephone survey of adults aged 18 years and older
- National and state-level data





NISVS Primary Objectives

To describe:

- Prevalence and characteristics
- Who is likely to experience SV, stalking, and IPV
- Patterns, consequences and impact







How is NISVS Unique?

- Framed within a health context and focused exclusively on violence
- Includes forms of violence never before measured in a national survey
- Detailed, behaviorally specific questions
- Designed to be consistent with how victims recall experiences of violence





Designed to Capture How Violence is Experienced

- Acts of violence linked to individual perpetrators
- Patterns of violence
 - Forms of violence experienced
 - Relationship to the perpetrator
 - Frequency
- Impact of violence committed by individual perpetrators





2010 Data Collection

- Dual-frame (landline and cell)
- Conducted from January 22-December 31, 2010
- 16,507 completed interviews
 - 9,086 females
 - 7,421 males
- Median length of interview was 24.7 minutes







What's new?

In general:

- Statistical comparisons
- Confidence intervals around the prevalence estimates
- Finer detail for some of the estimates
- New analyses





What's new?

- Prevalence of Intimate Partner Violence (IPV) by socio-demographic variables
- More detailed examination of injury
- Services needed and services received
- Disclosure of IPV victimization and whether the disclosure was helpful





What's new?

- Cumulative number of IPV behaviors and impacts experienced (not presented today)
- Physical and mental health outcomes associated with IPV victimization (not presented today)
- Frequency of individual IPV behaviors experienced (not presented today)






Prevalence of Sexual Violence by an Intimate Partner


- Rape:
 - 9.4% (lifetime) of women
 - 0.6% (12-month) of women
- Other Sexual Violence:
 - 15.9% of women, 8.0% of men (lifetime)
 - 2.3% of women, 2.5% of men (12-month)






Prevalence of Stalking by an Intimate Partner • Stalking: • 10.7% of women, 2.1% of men (lifetime) • 2.8% of women, 0.5% of men (12-month)











12-Month Physical Violence Overall: 4.0% of women, 4.7% of men Severe: 2.7% of women, 2.0% of men Slapped/pushed/shoved: 3.6% of women, 4.5% of men


| Prevalence of Rape, Physica Violence, or Stalking | il |
|--|-------------------|
| • Lifetime: | |
| 35.6% for women | |
| • 28.5% for men | |
| •12-month: | |
| • 5.9% for women | |
| • 5.0% for men | |
| NISVS | PreventConnect 27 |




















































Food/Housing Insecurity


- Food Insecurity: "In the past 12 months, how often would you say you were worried or stressed about having enough money to buy nutritious meals?"
- Housing Insecurity: "In the past 12 months, how often would you say that you were worried or stressed about having enough money to pay your rent or mortgage?"


NISVS













| | IPV-Related Impact |
|---------|--|
| • Fear | |
| • Cond | ern for safety |
| • Sym | otoms of post-traumatic stress disorder (PTSD) |
| • | Nightmares |
| • | Tried hard not to think about it or avoided being reminded of it |
| | Felt constantly on guard, watchful, or easily startled |
| | Felt numb or detached from others, activities, or surroundings |
| • Injur | у |
| • Miss | ed days of work or school |
| • For t | hose reporting rape by an intimate partner: |
| | Contracted a sexually transmitted infection |
| | Became pregnant (for women only) |
| NI | svs |

IPV-Related Impact (cont'd) • Needed medical care • Needed housing services • Needed victim's advocate services • Needed legal services • Contacted a crisis hotline







IPV-Related Impacts Among Victims of Rape, Physical Violence, and/ or Stalking, Lifetime

- Injury: 17.6 million women, 4.5 million men
- Medical care: 9.4 million women, 1.8 million men
- STD: 1.8 million women
- Pregnancy: 2.1 million women
- Missed school/work: 11.8 million women, 4.4 million men
- Victim's Advocate Services: 3.2 million women
- Housing Services: 2.9 million women, 0.5 million men













| VDEDIENICES MUTILINIS | W. (1511A1 BE) | | | | | |
|---------------------------------------|----------------|------------|----------|---|--|--|
| EXPERIENCES WITH IND | NVIDUAL PE | RPETRATORS | | | | |
| | | | | | | |
| | | | | | | |
| A TOTAL MAN | | | 2 | | | |
| NISVS | | | | | | |
| | | Prevent | tConnect | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Overlap within Inc | dividual Rela | ationships | | | | |
| | | . 1 | | | | |
| | | Prevalence | | , | | |
| | Women | Men | | | | |
| Rape and physical violence | 6.2% | * | | | | |
| Rape and stalking | 3.9% | * | | | | |
| Physical violence and stalking | 8.7% | 1.7% | | | | |
| Rape, physical violence, and stalking | 3.5% | * | | | | |























| Summary | |
|---|-------------------|
| Women are disproportionately affected by IPV du lifetime as they are more likely to experience: | ring their |
| Rape, stalking, severe physical violence | |
| Multiple forms of IPV Across the lifespan Within an individual relationship IPV-related impact | |
| InjuryA need for services | |
| NISVS | PreventConnect 69 |

Summary (cont'd)

- Many men experience IPV as well:
 - Nearly 14% of all men have experienced severe physical violence by an intimate partner in their lifetime
 - Nearly 10% of all men have experienced IPV-related impact in their lifetime
 - 4% have been physically injured
 - 4% have missed at least one day of work or school





Summary (cont'd)

- Other groups are disproportionately affected:
 - · Black and multiracial women and men
 - American Indian/Alaskan native men
 - Lower income
 - Young adults (18-24)
 - Those experiencing recent food/housing insecurity
 - Bisexual women





Summary (cont'd)

- Significant need for services:
 - Women more likely to need services in their lifetime (36.4% vs. 15.6%)
 - 15 million women and 5 million men in their lifetime
 - Medical and legal services most needed
 - Over 3 million women need housing services
 - Over 3 million women need victim's advocate services



Summary (cont'd)

- Many do not receive services:
 - Men less likely to receive needed services in general than women
 - Less than half of women always received needed:
 - Housing services
 - Victim's advocacy services
 - Community services
 - Legal services



Summary (cont'd)

- Women more likely to disclose IPV
- Men less likely to find disclosure to be helpful



Limitations

- · Likely an underestimate
- Recall bias
- Unknown motives for violence
- Data on Services are historical and may not reflect current needs/utilization







Implications

- On-going data collection and monitoring
- Need to target those most at risk
- Need to better understand and address barriers to services
- Need to better understand and address subtypes of IPV
- Importance of looking beyond overall numbers









| | | _ | |
|--|---|--------|------|
| | | | |
| | | _ | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | _ | |
| NISVS: INTIMATE PARTI | | | |
| LATIN@ AND IMMIGRA | NT COMMUNITIES | _ | |
| Rosie Hidalgo | | | |
| national | | _ | |
| latin@ | a de | | |
| network | jeranza – | _ | |
| casa de esperanza | PreventCo | onnect | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Contextual Consideration | ons for Prevalence Studies | | |
| in Latin@ & Imm | igrant Communities | | |
| Methodological Issues | | | |
| Survey conducted over to | | _ | |
| In person interviews have with Latin@ communitie | e been found to be more valid s (issues of respect and trust are | | |
| important) | (| _ | |
| Comment Immedianation Enfo | was mant Climate | | |
| Current Immigration Enfo Will influence who takes | | _ | |
| The same same same same same same same sam | ine survey | | |
| The Need for an Intersect | | _ | |
| | ors (income and food insecurity) y; the interaction of these | | |
| variables is important | y, the interdetion of these | | |
| national | | _ | |
| latin@ | Tel | | |
| network | PreventConnect 80 | _ | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Lifotime and 12 | Month Prevalence | | |
| | nic Women | _ | |
| | inc women | | |
| NISVS Findings: | | _ | |
| More than one-third of Hispanis woman | Findings consistent with other studies. | | |
| Hispanic women (37.1%), have | Highlights the continued | | |
| experienced rape, | need for culturally | | |
| physical violence, or stalking by an intimate | competent & trauma | | |
| partner in their lifetime. | informed approaches. | | |
| • 8.1% of Hispanic women | Building capacity within | | |
| experienced this violence in the previous | racial and ethnic minority | _ | |
| 12 months | communities. | | |
| | | _ | |
| • | | | |

for Hispanic Men

NISVS Findings:

- The estimated lifetime prevalence among Hispanic men was 26.6%.
- 6.2% of Hispanic men experienced this violence in the previous 12 months.

Provides supporting evidence for a culturally grounded approach that includes the entire community, including men.



Lifetime and 12-month Prevalence U.S. Natives and Foreign-Born

NISVS Findings:

- The Lifetime prevalence

 - 37.7 % Women born in the United States Vs. 24.0% Women born outside of the United States 30.2% Men who were born in the United States Vs. 17.0% Men born outside of the United States
- 12 months preceding the

national network

- 12 ITIUITIES STATES STA
- There appears to be a protective factor of being an immigrant.
- Similar findings are found with mental health outcomes, school achievement and substance abuse.
- However, immigrant survivors face many barriers due to language access issues and immigration status.





Policy Implications

 These findings continue to highlight the need for community-based, culturally relevant, language accessible and trauma--informed services and supports



- · Importance of understanding and addressing the intersecting issues that affect individuals within racial and ethnic minority communities
- Importance of providing resources to help build capacity and leadership within racial and ethnic minority communities and to develop innovative approaches that provide different pathways to safety

national



| ECONOMICS & SERVICES | |
|--|---|
| | |
| Cindy Southworth | |
| - MAIEDV | |
| * NEDV Hartonal MYROR To RIVE OWNESTIC VIOLENCE TO THE OWNESTIC TO THE O | |
| PreventConnect | |
| | |
| | |
| | |
| | 1 |
| Why it's important | |
| | |
| The NISVS survey and CDC report reach beyond mere numbers. | |
| • The first national study to ask questions designed to | |
| illuminate some of the context of victimization. | - |
| • The report includes important data on victims' economic | |
| security and needs. | |
| | |
| | |
| ufe. | |
| ** NNEDV ** NATIONAL NOTIFICATION ** TO SHE DESCRIPTION ** TO SHE | |
| © 2014 NNEDV PreventCornect 85 | |
| | |
| | |
| | |
| | 1 |
| Economics | |
| 2001101111103 | |
| Victims who experienced food or housing insecurity in the past 12 months had a significantly higher 12-month prevalence of rape, | |
| physical violence, or stalking by an intimate partner compared to women and men who did not. | |
| 51.5% of the victims who identified a need for housing services did not | |
| receive them. | |
| 1 in 10 women and nearly 1 in 25 men who have experienced rape, physical violence, or stalking by an intimate partner, missed work or | |
| school as a result of intimate partner violence. • Individuals with lower incomes are disproportionately affected by | |
| intimate partner violence. | |
| Total Control of the | |
| * NNEDV | |
| To the build state: © 2014 NNEDV PreventConnect 87 | |

Poverty is the abuser's co-conspirator





Need for Services

- 34% of female victims indicated that they needed services such as medical care and legal services, as well as housing advocacy and community services.
- 15.6% of males indicated that they needed such services.
- The report indicates that many victims did not receive any of the services they needed.





NNEDV 2013 Census



36.000

- NISVS report mirrors NNEDV's Census report
 Annual Census: Domestic Violence Counts provides a 24-hour snapshot of services requested and provided across the U.S.
- Over 60,000 victims received services in that 24-hour count yet another 10,000 requests for services go unmet because programs lack the resources.
- Housing continues to be the number one unmet need.
- In 2013, 5,778 requests for shelter or transitional housing were unmet due to lack of funding and resources.





In 2013, 187 domestic violence programs reported having to reduce or eliminate emergency shelter (including hotel/motel stays and safe houses) services because of funding cuts. In addition, 71 programs reported being forced to reduce or eliminate their transitional housing services.

Implications


- The National Intimate Partner and Sexual Violence Survey (NISVS), documents the alarming prevalence of domestic violence, sexual assault, stalking, and dating violence.
- This new data as well as the NNEDV Census, confirm that we need additional funding for services, outreach, training and prevention.
- We must make sure that victims don't have to choose between further abuse and living on the street.













| | Website: preventconnect.org |
|--|--|
| PreventConnect | Facebook: www.facebook.com/PreventConnec |
| 1215 K Street | Twitter: Follow @PreventConnect |
| Suite 1850 | Flickr: www.flickr.com/people/preventconnect |
| Sacramento, CA 95814 | 4 YouTube: www.youtube.com/CalCASAVideo |
| | Email Group (listserv): http:// groups.yahoo.com/group/Prevent-Connect/ |
| | Email: info@preventconnect.org |
| | |
| | •• @ f 📒 🖀 |
| | FLICKR CONTACT FACEBOOK TWITTER VIDEO |
| | |
| PreventConnect is a national project of the Cali sponsored by U.S. Centers for Disease Control information provided in this web conference do of the U.S. government, CDC or CALCASA. | and Prevention. The views and |