Welcome,
This Web Conference
Will Begin Soon

A Project of
CALCASA

Connecting the Dots: Understanding
and Addressing the Links between
Multiple Forms of Violence

PreventConnect
1215 K Street
Suite 1850
Sacramento CA
95814

Email: info@preventconnect.org
Email Group:
preventconnect.org/email-group
elearning: learn.preventconnect.org
Wiki: wiki.preventconnect.org

preventconnect.org/fwitter
preventconnect.org/fwitter
preventconnect.org/fliker
preventconnect.org/fliker
preventconnect.org/fliker

Please send a private chat message for help. Call Linc Technical Support at 800.799.4510. PreventConnect is a national project of the California Coalition Against Sexual Assault sponsored by U.S. Centers for Disease Cortical and Prevention. The views and information provided in this web conferences of not necessarily represent the official views of the U.S. Japanese Sexual Assault sponsored by U.S. Centers for Disease Cortical and Prevention. The views and information provided in this web conferences of not necessarily represent the official views of the U.S. Japanese Sexual Assault sponsored by U.S. Centers for Disease Cortical and Prevention. The views of the U.S. Generally and the official views of the U.S. Japanese Sexual Assault sponsored by U.S. Centers for Disease Cortical and Prevention. The views of the U.S. Specifically and the prevention of the U.S. Specifically and the U.S. Specifical and Prevention of the U.S. Sp

PreventConnect

- Domestic violence/intimate partner violence
- Sexual violence
- Violence across the lifespan
- Prevent before violence starts
- Connect to other forms of violence & oppression
- Connect to other prevention practitioners





CONNECTING THE DOTS: AN OVERVIEW OF THE LINKS AMONG MULTIPLE FORMS OF VIOLENCE

Objectives

- Describe what the latest research says about shared risk and protective factors across different forms of violence
- Describe how experiencing one form of violence affects people's risk for experiencing other forms of violence
- Describe how to consider peoples' risk and protection from multiple forms of violence within the context of their communities
- Give examples of ways state health departments can address multiple forms of violence through shared risk and protective factors


The findings and conclusions in this presentation do not necessarily represent the official position of the Centers for Disease Control and Prevention




1
,
_








"It's all connected." "Gang violence is connected to bullying is connected to school violence is connected to school violence is connected to intimate partner violence is connected to child abuse is connected to elder abuse. It's all connected." -Dr. Deborah Prothrow-Stith, Adjunct Professor, Harvard School of Public Health Source: Wilkin, N., Tao, B., Hetz, M., Davis, R., Riverm, J. (2014). Connecting the Date: An Overview of the Units Among Multiple Forms of Violence. Adjunct. General Center for Injury Provention and Center. 10





Linkages


- Multiple forms of violence are
 - Experienced together
 - Share common underlying factors
 - Result in common outcomes
- Exposure to one form of violence increases risk of further victimization and engagement in violent behavior



Linkages

Multiple forms of violence are sometimes experienced together





Children Exposed to Multiple Forms of Violence

National Survey of Children's Exposure to Violence

Up to **1** in **10** children in the US either witness or are victimized by co-occurring forms of violence



Children Exposed to Multiple Forms of Violence

- High risk of suffering chronic and severe symptoms of traumatic stress, including longterm psychiatric problems and lifelong limitations on health, well-being, relationships, and personal success.
- These risks are especially high when exposure to violence involves a fundamental loss of trust and security

Source: National Task Force on Children Exposed to Violence



Linkages

Multiple forms of violence share common underlying factors



Defining Shared Risk and Protective Factors


- Research on risk and protective factors for violence is continuously evolving
- In the tables on the following slides:
 - Risk and protective factors are collapsed into general categories, but may have been measured differently across different violence areas/ different studies*
 - "X's" indicate the existence of at least one study published in a peer reviewed journal demonstrating an association between the risk or protective factor and that type of violence.

*For more information on how each factor was measured, please refer to the "Connecting the Dots: An Overview of the Links between Multiple Forms of Violence" brief where references for each study can be found.

	So	ciet	al F	Risk	Fa	ctors		
4-4	СМ	TDV	IPV	sv	ΥV	Bullying	Suicide	Elder Abuse
Norms supporting aggression*	х	X	х	Х	x			х
Media Violence				х	х	x	x	
Societal income inequality	х		х		х	x		
Weak health, educational, economic, and social policies/laws	х		х	х			х	
Harmful gender norms*	х	X	x	х	x	х		
NOTE: CM (Child Maltrea (Youth Violence) *Norms are generally me Source: Wilkins, N., Tsao, B., Herl Among Multiple Forms of Violen	asured at t	he individu	al level	Connectin	g the Dots:	An Overview of th	ne Links	ence), W

Youth Deve	elopment
Culture	Todd County, SD Matters
National Indian Child Welfare Association	Prevention Institute PreventConnect












Neigl	nbo	rho	od F	rot	ect	ive Fa	ictors	
	СМ	TDV	IPV	sv	YV	Bullying	Suicide	Elder Abuse
Coordination of services among community agencies	х		х				х	x
Access to mental health and substance abuse services	х						X	
Community support and connectedness*	х		x	Х	х		х	х
NOTE: CM (Child Maltreatr Violence), YV (Youth Violer Community support and connec	nce)			, , .		ner Violence), SV	(Sexual	?











Create family-friendly spaces, train museum staff to support parents Improve customer service and prevent family violence Minimum Addition Management Service and Preventing Service Service

Relat						lual L tors	evel	
2	СМ	TDV	IPV	sv	ΥV	Bullying	Suicide	Elder Abuse
Family support/ connectedness	х	х			х	х	х	х
Connection to a caring adult		x			х		х	
Association w/ prosocial peers		x			х	x		
Connection/ commitment to school		х		х	х	х	Х	
Skills solving problems non-violently	х	x			х		х	
NOTE: CM (Child Maltreatment), Violence), YV (Youth Violence) Source: Wilkins, N., Tsao, B., H Among Multiple Forms of Viol Disease Control and Prevention	ertz, M., Da ence. Atlan	vis, R., Kleve ta, GA: Natio	ns, J. (201	4). Conne	cting the D	ots: An Overview o	of the Links ters for 33	entConnect



YV X X X	Bullying X X	Suicide X X	Elder Abuse
х			х
	х	х	х
х			
		х	
х	х	х	х
х	х	х	
х		х	х
Х	х	х	х
	x x	x x x x	x x x x x



Prevention Curriculum	l
Reaches nearly every student in the county Addresses risk and resilience factors Accounts for age and context Provention The provention of the proventi	
Why Focus on Shared Risk and Protective Factors?	
 Prevent multiple forms of violence simultaneously Identify strategies that address "real world" contexts of shared risk/protection Develop new partnerships Leverage resources/funding streams Consider a larger pool of strategies 	
Source: Wilkins, N., Tsao, B., Hertz, M., Davis, R., Klevers, J. (2014). Connecting the Dots: An Overview of the Unix Annung Multiple Forms of Violence. Kleints, GX. National Center for injury Prevention and Control. Centers38 FreventConnect On Disease Control and Prevention Children. CA: Prevention Institute.	
Linkages	
Exposure to one form of violence increases risk of further victimization and engagement in violent behavior	

Survivors of one form of violence are more likely* to be victims of other forms of violence - Girls who are sexually abused are more likely to: - suffer physical violence and sexual re-victimization - engage in self-harming behavior - be a victim of intimate partner violence later in life - Youth who have been physically abused by a dating partner are also more likely to have: - suffered abuse as a child - been a victim of sexual assault - witnessed violence in their family - Women and girls involved in gangs: - often experience physical, emotional and sexual abuse by other gang members - are more likely to have been physically or sexually abused as children **likelihood refers to the probability of re-victimization as compared to non-victims. It never means always Source: Wilkins, N., Taso, B., Hertz, M., Davis, R., Slovens, J. (2014). Connecting the Dozs. An Overview of the Links Annote Mulpile Forms of Violence Altinate, CA. Neverlens Institute. - M. (Cont.) Survivors of one form of violence are more likely* to be victims of other forms of violence - Youth who report attempting suicide: - are approximately five times more likely to have been in a physical fight in the

Nouth who report attempting suicide:

are approximately five times more likely to have been in a physical fight in the last year

Children who have been bullied:

are at greater odds for becoming involved in physical violence (e.g. weapon carrying, physical violence (e.g. weapon carrying, physical fighting)

*Likelihood refers to the probability of re-victimization as compared to non-victims. It never means always.

Source: Wilkins, N., Taso, B., Hertz, M., Davis, R., Klevens, J. (2014). Connecting the Dots: An Overview of the Links Among Multiple Forms of Violence. Anisara, G.N. National Center for Injury Provention and Control. Centers for 11 Disease Control and Prevention busines.

Although most victims of violence do not behave violently, they are at higher risk for behaving violently

Children who experience physical abuse or neglect early in their lives are at greater risk for committing:

violence against peers (particularly for boys)

bullying

teen dating violence

child abuse, elder abuse, intimate partner violence, and sexual violence later in life

Youth who have witnessed parental violence are more likely to:

bully others

People who behave violently are more likely to

- Adults who are violent toward their partners are at higher risk of also abusing their children.
- Youth who bully are more likely to:
 - carry weapons and be physically violent.
 - sexually harass peers
 - commit violence against partners as teens
 - commit violence against partners as <u>adults</u>

Source: Wilkins, N., Tsao, B., Hertz, M., Davis, R., Klevens, J. (2014). Connecting the Dots: An Overview of the Links Among Multiple Forms of Violence. Atlanta, GA: National Center for Injury Prevention and Control, Center for Disease Control and Prevention Daklado. CA: Prevention Institute.



Linkages

Multiple forms of violence result in common outcomes



Survivors of Violence are at Risk for Other Negative Health Behaviors/Outcomes


Adverse Childhood Experiences (ACEs)


As ACEs "score" goes up, so does risk for...


- Risky Behaviors
 - Physical Inactivity, Smoking, Abuse,
- Chronic Disease
 - Obesity, COPD, Asthma, Liver Disease, Heart Disease
- Other Health Outcomes
 - Teen Pregnancy, STDs, Miscarriage, Depression, Suicide Attempts, Early Death, Job Problems/Lost Time from Work, Rape victimization, Perpetration of IPV

Source: Centers for Disease Control and Prevention, Adverse Childhood Experiences Study. Available at: http://www.cdc.gov/violencentevention/acestudy/










What is Trauma? Experiences or situations that are emotionally painful Chronic adversity (discrimination, racism, sexism, poverty, oppression)

PTSD
Persistent Persistent
Traumatic
S tress
Disorder
Prevention



Building Community Resilience

- Restorative Justice
- **Healing Circles**





- Reclaim and Improve Public Spaces
- Shift Community Social Norms
- **Enhance Social Connections and Networks**
- **Build Intergenerational Connections and Networks**
- Organize and Promote Regular Positive Community Activity
- Providing more of a voice and element of power for community folks around shifting and changing environmental factors as well as the structural factors

Examples of Potential Strategies for Addressing

- Community/Societal level
 - Norms change strategies
 - Strategies/activities that enhance community support & connectedness
 - Coordinated services
- Relationship level
 - Strategies that support families under stress
- Strategies that connect youth with supportive adults, pro-social peers, and their schools
- Individual level
- Strategies that build youth and families' skills in solving problems non-violently
- Substance abuse prevention strategies



Integrated Approach

Honoring the linkages between multiple forms of violence reduces potential shortcomings associated with addressing different forms of violence independently, including:

- underestimating true scope of victimization;
- limitations in identifying children who are poly-victims;
- unnecessary competition for scarce resources;
- reduced policy influence;
- reinforcing arbitrary distinctions and
- ignoring the perspective of the child and community





Adapted from a presentation by David Finkelhor

Linkages

- Multiple forms of violence are
 - Experienced together
 - Share common underlying factors
 - Result in common outcomes
- Exposure to one form of violence increases risk of further victimization and engagement in violent behavior



Child Trauma Training Academy




Violence Connected. Domestic Violence, Gangs and Parenting: A Dialogue about Learned Violence.




Addresses shared risk and protective factors for:

- Child maltreatment
 Youth suicide
 School violence
 Bullying
 Community violence
 Sexual violence
 Teen dating violence









Colorado Dept. of Public Health & Environment

- Violence and Injury Prevention Mental Health Promotion Branch (VIP-MHP)
- Who is VIP-MHP?
 - Suicide Prevention
 - Essentials for Childhood (Child Maltreatment
 - Prescription Drug Overdose Prevention
 - Youth Marijuana Prevention campaign


 - Child Fatality PreventionOlder Adult Falls Prevention
 - Motor Vehicle Prevention
 - Sexual Violence Prevention





O COLOR	COLORADO Department of Public Health & Environment	PreventCo


Nothing 50 Relevant 6 Relevant 6 Relevant 6 Rand P fe Relevant 6 Rand P fe Relevant 6	perpetration is the priority	ge (i logy	mo	elope del (nent	0 les	el				P V 07 TD 107 ID	, ,	erpe letin ener	out Viel Datin	oleno ence g Vio	e Viol		
work etc.	Risk Factors Factors to change	р	۲	G V	s	T	I p	8	3	Protective Factors Factors to change	P	,	g	-	T D V	I P	B U L	
Youth Age 12-25	Substance workhouse Low product competencies/substance Low product competencies/substance Low product competencies/substance Low product competencies/substance Low production, asper, conflict Low production, conflict Low production, asper Low production, aspection, asper Low production, aspection, aspection, aspection, aspection, aspection, aspection, Low production, aspection, aspection, aspection, aspection, aspection, aspection, Low production, aspection,	* * * * * * * * * * * * * * * * * * *	×	×	× × ×	×	×	×		Protive social orientation In life "Record (bystandor") Sinder "Record (bystandor") Assess of brisings (by chand, family unif, seeing proxy, shi etc.) Assess of brisings (by chand, family unif, seeing proxy, shi etc.) Conflict/thesa management (uniform) Con	x x x	×	×	×				




















Why Now?

What is happening right now in our field that helps make the shift possible? What trends do we have to use as tools to build credibility?

- The difficult financial environment is a great opportunity to leverage expertise and resources across multiple expertise/
- Collective impact and community collaboration
- ACEs study provides the data tools to convince why we all need to partner
- What else?



For More Information

Connecting the Dots: An Overview of the Links Between Multiple Forms of Violence



- Natalie Wilkins <u>nwilkins@cdc.gov</u> Marci Hertz <u>mhertz@cdc.gov</u> Joanne Klevens <u>jklevens@cdc.gov</u>



Colorado Department of Public Health and Environment

Tomei Kuehl, MPA, Sexual Violence Prevention Unit Supervisor

<u>Tomei.kuehl@state.co.us</u> 303-692-2049





